



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TRINIDAD.

Quarantine established against Venezuelan Republic.

The following information is received from the American consul at Trinidad, through the Department of State, under date of April 24:

The governor of Trinidad has issued a proclamation declaring the Venezuelan Republic infected. Quarantine is established.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

AFRICA—*Zanzibar*.—Four weeks ended March 21, 1908. Estimated population, 75,000. Total number of deaths, 76, including smallpox 1, whooping cough 1, and 14 from tuberculosis.

ALGERIA—*Algiers*.—Month of March, 1908. Estimated population, 155,000. Total number of deaths, 272, including enteric fever 1, measles 1, smallpox 2, and 47 from tuberculosis.

BRAZIL—*Ceara*.—Month of March, 1908. Estimated population, 50,000. Total number of deaths, 161, including 9 from whooping cough.

COSTA RICA—*San Jose*.—Month of February, 1908. Estimated population, 25,525. Total number of deaths, 79, including enteric fever 1, whooping cough 2, and 7 from tuberculosis.

FRANCE—*Roubaix*.—Month of March, 1908. Estimated population, 121,115. Total number of deaths, 197, including diphtheria 1, enteric fever 1, measles 1, scarlet fever 2, whooping cough 2, and 35 from tuberculosis.

Toulon.—Month of March, 1908. Estimated population, 105,000. Total number of deaths, 197, including diphtheria 2, and 3 from enteric fever.

GERMANY—*Weimar*.—Month of March, 1908. Estimated population, 31,127. Total number of deaths, 51, including enteric fever 1, and 6 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended April 11, 1908, correspond to an annual rate of 15.4 per 1,000 population, which is estimated at 16,234,952.

London.—One thousand three hundred and fifty-one deaths were registered during the week, including measles 52, scarlet fever 12, diphtheria 17, enteric fever 3, whooping cough 27, tuberculosis 162, and 7 from diarrhea. The deaths from all causes correspond to an annual rate of 14.7 per 1,000. In Greater London 1,943 deaths were registered. In the "outer ring" the deaths included 8 from measles, 2 from scarlet fever, 4 from diphtheria, and 13 from whooping cough.

Salford.—Two weeks ended April 11, 1908. Estimated population, 236,670. Total number of deaths, 154, including diphtheria 5,

measles 12, scarlet fever 2, whooping cough 3, and 18 from phthisis pulmonalis.

Ireland.—The average annual death rate represented by the deaths registered during the week ended April 11, 1908, in the 21 principal town districts of Ireland was 23.9 per 1,000 of the population, which is estimated at 1,131,959. The lowest rate was recorded in Galway, viz, 7.8, and the highest in Dundalk, viz, 43.9 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended April 11, 1908, correspond to an annual rate of 18.8 per 1,000 of the population, which is estimated at 1,839,038. The highest rate of mortality was recorded in Glasgow, viz, 21.1, and the lowest in Leith, viz, 14.2 per 1,000. The aggregate number of deaths registered from all causes was 663, including diphtheria 7, enteric fever 1, measles 40, scarlet fever 7, and 13 from whooping cough.

GREECE—Patras.—Two weeks ended April 15, 1908. Estimated population, 42,500. Total number of deaths, 15, including enteric fever 1 and 5 from tuberculosis.

MALTA.—Two weeks ended April 4, 1908. Estimated population, 206,690. Total number of deaths, 173, including smallpox 1, measles 15, and 5 from tuberculosis.

SPAIN—Almeria.—Month of March, 1908. Estimated population, 46,806. Total number of deaths, 131, including smallpox 1, enteric fever 2, and 12 from tuberculosis.

Cadiz.—Month of March, 1908. Estimated population, 69,322. Total number of deaths, 183, including smallpox 1, measles 2, and 24 from tuberculosis.

SWITZERLAND.—Week ended April 4, 1908. Reports from 18 cities, having an aggregate population of 868,928, show as follows: Total number of deaths, 343, including diphtheria 4, enteric fever 1, measles 1, whooping cough 4, and 58 from tuberculosis.

WEST INDIES—Curaçao.—Two weeks ended April 17, 1908. Estimated population, 31,600. Total number of deaths, 13. No deaths from contagious diseases reported.

St. Christopher.—Three weeks ended April 4, 1908. Estimated population, 49,289. Total number of deaths, 58, including 1 from tuberculosis.

Turks Island.—Two weeks ended April 25, 1908. Estimated population, 1,700. Total number of deaths, 1.